

Hierarchical Planning: Relating Task and Goal Decomposition with Task Sharing

Ron Alford¹, Vikas Shivashankar², Mark Roberts³, Jeremy Frank⁴, David W. Aha⁵

¹MITRE; McLean, VA | ralford@mitre.org

²Knexus Research Corporation; National Harbor, MD | vikas.shivashankar@kexusresearch.com

³NRC Postdoctoral Fellow; Naval Research Laboratory; Washington, DC | mark.roberts.ctr@nrl.navy.mil

⁴NASA Ames Research Center; Moffett Field, CA | jeremy.d.frank@nasa.gov

⁵Navy Center for Applied Research in AI; Naval Research Laboratory; Washington, DC | david.aha@nrl.navy.mil

Abstract

Considerable work has focused on enhancing the semantics of Hierarchical Task Networks (HTNs) in order to advance the state-of-the-art in hierarchical planning. For instance, the Hierarchical Goal Network (HGN) formalism operates over a hierarchy of goals to facilitate tighter integration of decompositional planning with classical planning. Another example is the Action Notation Markup Language (ANML) which adds aspects of generative planning and *task-sharing* to the standard HTN semantics.

The aim of this work is to formally analyze the effects of these modifications to HTN semantics on the computational complexity and expressivity of HTN planning. To facilitate analysis, we unify goal and task planning into Goal-Task Network (GTN) planning. GTN models use HTN and HGN constructs, but have a solution-preserving mapping back to HTN planning. We then show theoretical results that provide new insights into both the expressivity as well as computational complexity of GTN planning under a number of different semantics. Our work lays a firm footing to clarify exact semantics for recent planners based on ANML, HGNS, and similar hierarchical languages.

1 Introduction

Hierarchical Task Network (HTN) planning [Erol *et al.*, 1994] is a task planning formalism that is widely used in real-world applications [Nau *et al.*, 2005]. HTN planners use methods as recipes to recursively decompose tasks into primitive action sequences. We focus on two hierarchical formalisms, the Action Notation Markup Language (ANML) [Smith *et al.*, 2008] and Hierarchical Goal Network (HGN) planning [Shivashankar *et al.*, 2012], and their relationship with the more widely known HTN planning. All these formalisms now have systems that implement subsets of their features, yet little research examines the differences between them, either in terms of their computational complexity or their semantics.

HGN planning bridges classical planning and totally ordered task networks by operating over sequences of goals with methods that decompose goals with further subgoals. By




Figure 1: Summary of plan-preserving translations between problem classes. An edge (X, Y) indicates problem instances under X 's semantics can be translated to problem instances under Y 's semantics while preserving the solution set. Subscripts indicate task insertion (I) or sharing (S) semantics. Solid lines indicate translations within complexity classes and dotted lines indicate translations across complexity classes. With the exception of the two HTN results, all results are new.

attaching goals to methods, HGN planning adds explicit semantics to methods, making it easy to adapt classical heuristics to HGN planning [Shivashankar *et al.*, 2016].

The Action Notation Markup Language (ANML) is a temporal planning framework with a hierarchical component [Smith *et al.*, 2008], designed to address common challenges faced when modeling problems that require sophisticated temporal or resource reasoning within a single language that combines generative and hierarchical task planning [Smith and Cushing, 2008]; an essential feature of ANML is its ability to embed complex procedures as tasks. A translation from ANML to a variant of PDDL [Bonasso *et al.*, 2009] and the planning system FAPE [Dvorak *et al.*, 2014] have implemented subsets of ANML.

One of the unique features of ANML is that it allows subtasks to be shared between multiple tasks. For example, let us assume an ANML planner is considering two tasks t_1 and t_2 that are unordered with respect to one another which decompose into the same setup task; so, t_1 decomposes into $\langle \text{setup}, a_1 \rangle$ (read "do setup, then do a_1 "), while t_2 decomposes into $\langle \text{setup}, a_2 \rangle$. According to standard HTN planning semantics, the only solution would involve two setup tasks. ANML, however, also allows for sharing the same setup task across both task-decompositions, and can therefore generate a solution with a single setup task.

Traditional HTN planners strictly follow the method hierarchy when composing a plan. This rigidity is a liability in dynamic environments when actions may fail and the plan needs to be repaired [Ayan *et al.*, 2007]. Task Insertion semantics modifies HTN semantics to allow planners to insert actions whenever they are useful, regardless of methods [Geier and Bercher, 2011]. Task insertion is also used in the HTN literature to capture plan repair and partial method knowledge. These semantics are also implemented as part of HGNs [Shivashankar *et al.*, 2013] and are explicitly supported in ANML. It is not known how task insertion interacts with task sharing.

Contributions. The central aim of this paper is to unify these various families of hierarchical planning and their semantics as summarized in Figure 1. In particular,

- **A Unified Formalism:** We define Goal-Task Network (GTN) planning that models partially ordered HTN planning and extends HGN planning with partially-ordered sets of subgoals. We present standard semantics for GTN that extends HTN semantics with goals. We then extend these semantics with the addition of task insertion semantics, denoted GTN_I , with the addition of task sharing GTN_S , and finally, with the combined semantics of GTN_{IS} .
- **Expressivity Results:** We show that every GTN problem with *any* combination of the above semantics can be translated in a solution preserving manner to HTN planning with standard semantics, which is in general semi-decidable.
- **Membership Results:** For certain classes of GTN planning, we improve the semi-decidable upper bound by proving that HGN_I is in PSPACE, while GTN_{IS} and GTN_I planning are in NEXPTIME.

2 A Unified Hierarchical Planning Formalism

To precisely describe the relationship between HTN and HGN planning, we model both in a single framework called Goal-Task Network (GTN) planning¹. GTN planning has already been extremely useful in formalizing goal reasoning [Roberts *et al.*, 2016]. We augment the set-theoretic notation of Geier and Bercher [2011] with goal decomposition from HGN planning [Shivashankar *et al.*, 2012] and with SHOP2-style method preconditions [Nau *et al.*, 2003]. After formalizing GTNs, we clarify their operations before discussing GTN problems and their solutions.

2.1 Preliminaries

Let \mathcal{L} be a propositional language and \mathcal{T} be a set of task names represented as propositional symbols not appearing in \mathcal{L} with $\mathcal{L} \cap \mathcal{T} = \emptyset$, and let O and C be a partition of \mathcal{T} ($O \cup C = \mathcal{T}$, $O \cap C = \emptyset$). O will correspond to *primitive tasks*, or actions that can be executed directly, while C represents Compound or *non-primitive tasks* which need to be recursively decomposed into primitive tasks before they can be executed.

¹GTN was partly inspired by conversations with Ghallab *et al.* following their paper [Ghallab *et al.*, 2014] and upcoming book [Ghallab *et al.*, in press] wherein they argued for use of a hybrid task-planning formalism for Planning and Acting.

Then HTN planning is over partially-ordered multisets of *task names* in \mathcal{T} representing activities to accomplish, while HGN planning is over totally-ordered subgoals in \mathcal{L} which must be met in sequence. GTNs elegantly models both, and in addition extends the scope of HGN planning to allow for partially-ordered sets of subgoals.

2.2 Goal-Task Networks (GTNs)

A *goal-task network* is a tuple (I, \prec, α) where I is a set of instance symbols which are placeholders for task names and goals, $\prec \subset I \times I$ is a partial order on I , and $\alpha : I \rightarrow \mathcal{L} \cup \mathcal{T}$ maps each instance symbols to a goal or task name.

Some symbol instances are special because they occur first or last in a network. An instance symbol i is *unconstrained* if no symbols are constrained before it ($\forall i' \in I i' \not\prec i$) and *last* if it constrained after all other symbols ($\forall i' \in I i' \prec i$). We refer to i as a *task* if $\alpha(i) \in \mathcal{T}$ and as a *subgoal* if $\alpha(i) \in \mathcal{L}$; recall that \mathcal{L} and \mathcal{T} are disjoint.

Two goal-task networks, (I_1, \prec_1, α_1) and (I_2, \prec_2, α_2) are *isomorphic* if there exists a bijection $f : I_1 \rightarrow I_2$ such that: (1) $(i, i') \in \prec_1$ iff $(f(i), f(i')) \in \prec_2$ and (2) $\alpha_1(i) = \alpha_2(f(i))$ for all $i \in I_1$.

Methods. We distinguish the methods for GTNs by the kind of symbol they decompose. A *task method* m_t is a tuple (n, χ, gtn) where $n \in C$ is a non-primitive task name, $\chi \in \mathcal{L}$ is m_t 's precondition, and gtn is a goal-task network over \mathcal{L} and \mathcal{T} . A task method is *relevant* to a task i in a goal-task network (I, \prec, α) if $n = \alpha(i)$. The method m_t is a specific decomposition of a task n into a partially-ordered set of subtasks and subgoals, and there may be many such methods.

A *goal method* m_g , similarly, is a tuple (g, χ, gtn) where $g, \chi \in \mathcal{L}$ are the goal and precondition of m_g and gtn is a goal-task network. A goal method is *relevant* to a subgoal i in a goal-task network (I, \prec, α) if at least one literal in the negation-normal form (NNF) of g matches a literal in the NNF of $\alpha(i)$ (e.g., accomplishing g ensures that at least part of $\alpha(i)$ is true). By convention, the goal-task network $gtn = ((I, \prec, \alpha))$ has a last instance symbol $i \in I$ with $\alpha(i) = g$ to ensure that m_g accomplishes its own goal.

Task and goal methods are respectively identical to methods in HTN and HGN planning.

Operators. An *operator* o is a tuple (n, χ, e) where $n \in O$ is a primitive task name (assumed unique to o), χ is a propositional formula in \mathcal{L} called o 's precondition (or *prec*(o)), and e is a set of literals from \mathcal{L} called o 's effects. We refer to the set of positive literals in e as *add*(o) and the negated literals as *del*(o). An operator is *relevant* to primitive task i_t if $n = \alpha(i_t)$ and to a subgoal i_g if the effects of o contain a matching literal from the NNF of $\alpha(i_g)$.

States. A *state* $s \subset \mathcal{L}_{sym}$ is any subset of \mathcal{L}_{sym} , the propositional symbols of \mathcal{L} ; the set of all states is $2^{\mathcal{L}_{sym}}$. A set of operators \mathcal{O} forms a transition (partial) function $\gamma : 2^{\mathcal{L}_{sym}} \times \mathcal{O} \rightarrow 2^{\mathcal{L}_{sym}}$ as follows: $\gamma(s, o)$ is defined iff $s \models prec(o)$ (the precondition of o holds in s), and $\gamma(s, o) = (s \setminus del(o)) \cup add(o)$.

2.3 GTN Nodes and Node Operations

A *node* is a (state, goal-task network) pair $N = (s, gtn)$. GTN planning allows four operations on nodes, described below.

We use the term *progression* as an umbrella term for the various GTN node operations. We write $N \rightarrow_P N'$ if any of the operations can make that transition between nodes. For progression sequences from N to N'' , we write $N \rightarrow_P^* N''$.

Operator application of an operator o to a node (s, gtn) , with $gtn = (I, \prec, \alpha)$, written as $(s, gtn) \xrightarrow{i,o}_A (s', gtn')$, is defined if $s \models prec(o)$ and o is relevant to an unconstrained instance symbol i in gtn . If i is a primitive task with task name n , then this corresponds to primitive task application in HTNs; the result of application is given by $s' = \gamma(s, o)$ and $gtn' = (I \setminus \{i\}, \{(i_1, i_2) \in \prec \mid i_1 \neq i\}, \{(i', n) \in \alpha \mid i' \neq i\})$, transitioning the state and removing the instance symbol from the network. If i is a relevant goal task instead, this corresponds to primitive task application in HGNs; in this case, $gtn' = gtn$, and the subgoal remains while the state changes.

Goal release for an unconstrained subgoal i , written $(s, gtn) \xrightarrow{i}_G (s, gtn')$, is defined whenever $s \models \alpha(i_g)$. Goal release can remove a subgoal whenever it is satisfied by s , and so gtn' is given by $(I \setminus \{i\}, \{(i_1, i_2) \in \prec \mid i_1 \neq i\}, \{(i', n) \in \alpha \mid i' \neq i\})$, just as in operator application.

Task decomposition for an unconstrained task i by a relevant task method $m = (c, \chi, gtn_m)$, written $(s, gtn) \xrightarrow{i,m}_D (s, gtn')$, is defined whenever $s \models \chi$. Task decomposition expands i in gtn , replacing it with the network gtn_m . Let $(I, \prec, \alpha) = gtn_m$ and $(I_m, \prec_m, \alpha_m) = gtn_m$, assuming without loss of generality that $I \cap I_m = \emptyset$. Then the result of task decomposition, $gtn' = (I', \prec', \alpha')$ is given by:

$$\begin{aligned} I' &:= (I \setminus \{i\}) \cup I_m \\ \prec' &:= \{(i, i') \in \prec \mid i, i' \in I'\} \cup \prec_m \\ &\quad \cup \{(i_1, i_2) \in I_m \times I \mid (i, i_2) \in \prec\} \\ \alpha' &:= \{(i, n) \in \alpha \mid i \in I'\} \cup \alpha_m \end{aligned}$$

Goal decomposition for an unconstrained subgoal i by a relevant goal method $m = (g_m, \chi, gtn_m)$, also written $(s, gtn) \xrightarrow{i,m}_D (s, gtn')$, is defined whenever $s \models \chi$. Goal decomposition *prepends* i with gtn_m , leaving the subgoal in place, so that gtn' is given by $(I \cup I_m, \prec \cup \prec_m \cup \{(i_m, i) \in I_m \times \{i\}\}, \alpha \cup \alpha_m)$.

3 GTN Planning Problems and Solutions

A *problem* is a tuple $P = (\mathcal{L}, \mathcal{O}, \mathcal{M}, N_0)$ where \mathcal{L} is propositional language for defining the set of operators (\mathcal{O}), the set of goal and task methods (\mathcal{M}), and N_0 is the initial node consisting of the the initial goal-task network gtn_0 , and the initial state s_0 . O and C are implicitly defined by \mathcal{O} and \mathcal{M} . Nodes are isomorphic if their goal-task networks are isomorphic and their states are identical.

We say P is *solvable* under GTN semantics iff there is a progression $N_0 \rightarrow_P^* N_k$, where $N_k = (s_k, gtn_\emptyset)$, s_k is any state, gtn_\emptyset is the empty network. The subsequence of operator applications of that progression is a *plan* for P .

Whenever all networks (method and initial) in a problem P contain only tasks, we call it an HTN problem since goal release and goal decomposition are irrelevant, and so the semantics are identical to HTN planning under progression [Alford *et al.*, 2012]. Whenever all networks contain only subgoals, we call it an HGN problem, since the semantics are identical to HGN planning with a straightforward extension to partially-ordered networks [Shivashankar *et al.*, 2012].

3.1 Task-Insertion Semantics

Formally, *task insertion* of an operator o is defined whenever o 's precondition is supported by the state, and is written $(s, gtn) \xrightarrow{o}_I (s', gtn)$, where $s' = \gamma(s, o)$. Note that this combines two operations, insertion of o and operator application of o .

If a node (s', gtn') is reachable from another node (s, gtn) via any sequence of progressions and insertions, we write $(s, gtn) \rightarrow_{PI}^* (s', gtn')$. We say that a problem P is solvable under GTN semantics with task insertion (GTN_I semantics) iff $(s_0, gtn_0) \rightarrow_{PI}^* (s, gtn_\emptyset)$ where s is any state and gtn_\emptyset is the empty goal-task network. HTN_I planning is NEXPTIME-complete [Alford *et al.*, 2015b].

3.2 Task-Sharing Semantics

We formalize task sharing here using a *task merging* operation that takes two task symbols in the goal-task network that map to the same task name and merges them into one task symbol. Formally, task merging of two unconstrained tasks i_1, i_2 in a network $gtn = (I, \prec, \alpha)$ is applicable whenever the tasks share a task name ($\alpha(i_1) = \alpha(i_2)$). The operation, written $(s, gtn) \xrightarrow{i_1, i_2}_M (s, gtn')$, is given by $gtn' = (I \setminus \{i_2\}, \prec', \alpha')$, where:

$$\begin{aligned} \prec' &:= \{(i, i') \in \prec \mid i \neq i_2\} \\ &\quad \cup \{(i_1, i) \in I \times I \mid (i_2, i) \in \prec\} \\ \alpha' &:= \{(i, n) \in \alpha \mid i \neq i_2\} \end{aligned}$$

We say a problem P with initial node (s, gtn) is solvable under GTN semantics with task sharing (GTN_S) if there is any sequence of progression and merging to a node (s', gtn_\emptyset) , written $(s, gtn) \rightarrow_{PM}^* (s', gtn_\emptyset)$. Solvability under both task insertion and sharing (GTN_{IS} semantics) is defined similarly, with the sequence denoted as $(s, gtn) \rightarrow_{PIM}^* (s', gtn_\emptyset)$.

4 Plan-preserving translations

We can study the computational complexity of GTN planning by reductions, which are transformations between problems and/or formalisms. In this section, we use a special kind of reduction we call *plan-preserving* translations, which preserve the solution set of the problem across translation. For example, we can trivially use a GTN planner to solve a GTN_I problem P by adding a new task to the initial node along with methods that decompose it into any sequence of operators. Since this transformation preserves the set of plans, (1) an optimal plan from the GTN planner is an optimal plan P , and (2) when creating GTN_I planners, the transformation is a procedure for using any admissible GTN heuristic as a GTN_I heuristic. Further, we know that GTN planning is at least as

expressive as GTN_1 planning, since the (possibly infinite) set of solutions for any problem under GTN_1 semantics can be exactly expressed as the solutions of the translated problem under GTN semantics.

Same-semantic translations from GTNs to HTNs

In this section, we provide a plan preserving translation from GTN problems to HTN problems that preserves plans under like semantics (GTN to HTN, GTN_1 to HTN with task insertion, etc.). This establishes that GTN planning is no harder in the general case than HTN planning across all the semantic variants we discuss.

Construction 4.1. Let P be a problem. We iteratively construct an HTN problem P' as follows:

Let g be a subgoal appearing in the initial network or any method network. Let t_g be a fresh task name, and let $m_g = (t_g, g, gtn_\emptyset)$, which will act as the goal release operation for t_g . Let N'_0 and \mathcal{M}' be the P 's initial node and set of methods where each instance of g in a network is replaced by t_g . Let $\mathcal{M}_{\mathcal{O}_g}$ be a set methods of the form $m_{og} = (t_g, true, gtn_{og})$ for each operator o relevant to g , where gtn_{og} contains the task o preceding the task t_g . Finally, let $\mathcal{M}_{\mathcal{M}_g}$ be a set of methods of the form $m_{mg} = (t_g, \chi, gtn_{mg})$ for each goal method $(g', \chi, gtn) \in \mathcal{M}'$ relevant to g , where gtn_{mg} is gtn with a new task for t_g constrained to come after all other instance symbols. Then $P' = (\mathcal{L}, \mathcal{O}, \mathcal{M}' \cup \mathcal{M}_{\mathcal{O}_g} \cup \mathcal{M}_{\mathcal{M}_g} \cup \{m_g\}, N'_0)$. Iterate until no goal appears in a network, and remove all goal methods.

Theorem 4.2. For a problem P with initial node N_0 , use Construction 4.1 to construct an HTN problem P' . Then, under GTN semantics, a sequence of actions is a plan for P iff it is a plan for P' . The same result holds under GTN_1 semantics.

Proof. We prove this theorem by showing that for each iteration of Construction 4.1, after replacing g with t_g , P and P' have the same set of plans.

(\Rightarrow) Let $N_0 \xrightarrow{*}_P N_k$ be a derivation of a plan p for P , where $N_1 \dots N_{k-1}$ are the intermediate nodes. Construct $N'_0 \xrightarrow{*}_{P'} N'_k$ as follows: N'_0 is isomorphic to N_0 with g replaced with t_g . Suppose N'_i is isomorphic to N_i with g replaced with t_g . The following cases ensure the same for N'_{i+1} and N_{i+1} :

If $N_i \xrightarrow{i,o}_A N_{i+1}$ is an application of o to goal task g , then decompose the corresponding i in N'_i with m_{og} and immediately apply o ($N'_i \xrightarrow{i,m_{og}}_D N''_i \xrightarrow{i',o}_A N'_{i+1}$). If $N_i \xrightarrow{i}_G N_{i+1}$, then g is satisfied in N_i 's state (identical to the state of N'_i), so decompose the corresponding i from N'_i with m_g , removing i , to get the corresponding N'_{i+1} . If $N_i \xrightarrow{i,m}_D N_{i+1}$ corresponds to goal-method decomposition, then $N'_i \xrightarrow{i,m_{mg}}_D N'_{i+1}$ is applicable and produces the corresponding N'_{i+1} . Otherwise, the operation does not involve g , so apply it directly to N'_i . Since this preserves operator applications in the derivation, p is also a plan for P' .

(\Leftarrow) Let $N'_0 \xrightarrow{*}_{P'} N'_k$ be a derivation of a plan p for P' . Note that decomposition with any m_{og} can be push back in the derivation until it is immediately before the application

of o . Then the inverse of the above procedure can produce a derivation of p for P . \square

Since the set of GTN problems includes all HTN problems and HTN planning is semi-decidable [Erol *et al.*, 1996], by the above theorem, GTN planning is also semi-decidable:

Corollary 4.3. Deciding whether a solution exists for a problem under GTN semantics is semi-decidable.

We know by Alford *et al.* [2015b] that HTN planning with task insertion is NEXPTIME-complete, so by the above, the same result extends to GTN_1 planning:

Corollary 4.4. Deciding whether a solution exists for a problem under GTN_1 semantics is NEXPTIME-complete.

We can also show that Construction 4.1 preserves plan sets under GTN_S semantics:

Theorem 4.5. For a problem P , let P' be the resulting HTN problem from Construction 4.1. Then, under GTN_S semantics, a sequence of actions is a plan for P iff it is a plan for P' . The same result holds under GTN_{1S} semantics.

Proof. Again, we show that for each iteration of Construction 4.1, after removing g , P and P' have the same set of plans.

(\Rightarrow) Task merging does not involve goals, so given a derivation $N_0 \xrightarrow{*}_{PM} N_k$ of a plan p for P , extend the (\Rightarrow) procedure of Theorem 4.2 with merging so that $N_j \xrightarrow{i_1, i_2}_{\rightarrow M} N_{j+1}$ maps to $N'_j \xrightarrow{i_1, i_2}_{\rightarrow M} N'_{j+1}$.

(\Leftarrow) Once g is replaced by t_g , there are two threats to inverting the above procedure to find a derivation of a plan p for P from p 's derivation from P' : (1) two tasks for t_g may be merged, and (2) a primitive task for an operator o may be merged with another task for o .

For (1), if there is a merge $N_j \xrightarrow{i_1, i_2}_{\rightarrow M} N_{j+1}$ where $\alpha(i_1) = t_g$ in the derivation of p , then there must also be an N_q ($q > j$) where the method corresponding to goal release is applied (meaning g holds in the state of N_q). Then, since i_1 and i_2 are not ordered with respect to each other, another derivation of p is to skip the merge of i_2 , and decompose i_2 with m_g immediately after N_q , since g must hold in that node's state.

For (2), assume WLOG that the task i_2 ($\alpha(i_2) = o$) was inserted via decomposition with m_{og} of a task i_3 . The derivation of p must include a decomposition of i_3 with m_{og} , which replaces i_3 's task for t_g with the tasks o preceding t_g . Later in the derivation, the task for o is merged with another task, and later applied, all before any further decomposition of t_g . Then another derivation of p is just to skip the first decomposition of i_3 and subsequent merge.

Since we can eliminate any merging of t_g or its related primitive tasks, we can invert (\Rightarrow) to find a derivation of p for P from a derivation of P' . \square

As a special case, consider that HGN problems have the same plan set under GTN_S semantics as under GTN semantics, as there are no tasks to merge. So by the above theorem, Construction 4.1 is a plan-preserving translation of HGN problems to HTN_S planning:

Corollary 4.6. *For any HGN problem P , let P' be the resulting HTN problem from Construction 4.1. Then a sequence of actions is a plan for P under GTN semantics iff it is a plan for P' under GTN_S semantics. The same result holds under GTN_{IS} semantics.*

So HGN planning is neither harder nor more expressive than HTN planning with sharing.

Translating from GTN_S to GTN

In this section, we give a plan preserving translation from GTN_S semantics to standard GTN semantics as part of our proof that GTN_S planning is semi-decidable. To start, we note that, at least as far as solvability goes, GTN_S semantics are equivalent to a sharing semantics that only allows merging of primitive operators.

Lemma 4.7. *Let $N_0 \rightarrow_{PM}^* N_k$ be the derivation of a plan p for a problem P . Then there is another derivation $N_0 \rightarrow_{PM}^* N_k$ that any merging only happens for primitive tasks.*

Proof. We can iteratively remove merging of non-primitive tasks from $N_0 \rightarrow_{PM}^* N_k$ as follows: Let $N_j \xrightarrow{i_1, i_2}_M N_{j+1}$ be the first merge of any two non-primitive tasks i_1, i_2 in the derivation p . Since i_1 is a non-primitive task, there is a subsequent decomposition $N_k \xrightarrow{i_1, m}_D N_{k+1}$. Let $N_i \rightarrow_{PM}^* N'_{k+1}$ be the same sequence of progressions above with the initial merge omitted (including the decomposition of i_1). Then decompose i_2 with the same method as i_1 and merge all its resulting tasks with those from the decomposition of i_1 . The resulting node is isomorphic with N_{k+1} . \square

We can now reduce GTN_S planning to GTN relying on operators asserting in the state when they have been applied:

Construction 4.8. Let $P = (\mathcal{L}, \mathcal{O}, \mathcal{M}, N_0)$ be a GTN problem. We iteratively construct a new GTN problem P' as follows: For each primitive task name o , we introduce a new non-primitive task symbol t_o , as well as a new propositional symbol fin_o . Let $\mathcal{L}' = \mathcal{L} \cup \{fin_o \mid o \in \mathcal{O}\}$. Let \mathcal{O}' be the set of operators of \mathcal{O} modified so that each operator o asserts fin_o and retracts $fin_{o'}$ for all $o' \neq o$. Let N'_0 and \mathcal{M}' be N_0 and \mathcal{M} with all primitive tasks in their networks replaced with the corresponding t_o . Finally, let $\mathcal{M}_{\mathcal{O}}$ contain two methods for each operator o : $m_{oa} = (t_o, true, gtn_o)$, where gtn_o contains only the task o , and $m_{om} = (t_o, fin_o, gtn_{\emptyset})$, which can remove t_o from a network immediately after o is applied. Then $P' = (\mathcal{L}', \mathcal{O}', \mathcal{M}' \cup \mathcal{M}_{\mathcal{O}}, N'_0)$.

There are two important points to note in the above construction. First, fin_o is set up in such a way that it is true iff o was the last operator applied. Second, we use fin_o to simulate task-sharing under GTN semantics by providing two methods m_{oa} and m_{om} for each o . These respectively introduce and don't introduce a new instance of o after one instance of o has already been applied; m_{om} thus simulates the task-sharing option. Below, we formally prove that this construction indeed simulates task-sharing under GTN semantics:

Theorem 4.9. *Let P' be the result of applying Construction 4.8 to a problem P . Then a sequence of operators p is a plan for P under GTN_S semantics iff p is a plan for P' under*

GTN semantics. This also holds for P under GTN_{IS} semantics and P' under GTN_I semantics.

Proof. (\Rightarrow) By Lemma 4.7, there is a derivation of P under GTN_S semantics that only merges primitive operators. We can also assume WLOG that merging comes immediately before operator application. For a derivation of p from P' under GTN semantics, replace each sequence of merges then application of an operator o with decomposition by m_{oa} , application of o , and decomposition with m_{om} for the remaining merges.

(\Leftarrow) Since m_{oa} has no precondition, we can always move it back in a derivation of p until just before the application of o . Similarly, we can move forward any m_{om} before any intervening decompositions until they come just after application of o . Then invert (\Rightarrow) to obtain the appropriate merging.

The only threat to this step under task insertion is that there an insertion of o followed by applications of m_{om} . If this happens, then there must be at least one unconstrained task for o in the current network. We can replace the insertion and first m_{om} with decomposition by m_{oa} and o 's application. \square

Since we have a plan-preserving polynomial translation of GTN_S planning into HTN planning, GTN_S planning is not computationally harder nor more expressive than HTN planning.

5 Encoding HTNs as HGNS

Although there are a wide array of complexity classes for specific restrictions of HTN planning [Alford *et al.*, 2015a], HTN planning in general is semi-decidable [Erol *et al.*, 1996]. Erol *et al.*'s proof of undecidability encodes the intersection of context free grammars (CFGs) as an HTN problem with totally-ordered methods and two partially-ordered initial tasks. The two tasks function as producer and consumer - one producing a sequence of symbols from one CFG, and the other consuming them in the order of another. The reachable tasks from both initial tasks are disjoint. Thus, any progression of the initial problem leads to a task network composed of two totally-ordered sets of tasks. Under GTN_S semantics, no task within one of the sets can be merged (they are all ordered with respect to each other), and no task between sets can be merged (the two sets have distinct task names). Thus, Erol *et al.*'s construction has the same set of solutions under GTN semantics as GTN_S semantics.

For HGNS, Shivashankar *et al.* [2012] gave a bidirectional encoding of totally-ordered HGNS and HTNs, encoding task names as new goals. This easily extends to encode Erol *et al.*'s construction in partially-ordered HGN planning:

Theorem 5.1. *Deciding whether a solution to an HGN or GTN_S problem exists under GTN_S semantics is semi-decidable.*

These results do not easily extend to task insertion with sharing. In particular, the proof that HTN_I planning is NEXPTIME-hard encodes a Turing machine into the task network where an exponential number of partially-ordered tasks are synchronized through the state. In the following lemma and construction, we show that if there is a plan where two mergeable tasks were not merged, we can always merge the

two tasks and replace the lost task’s primitive descendants with task insertion.

In a derivation $N_0 \rightarrow_P^* N_k$, we say that an instance symbol i' in a node N_j is a *child* of a symbol i in node N_{j-1} iff (1) $i = i'$ and was not otherwise involved in the progression or (2) i' was introduced in a decomposition $N_{j-1} \xrightarrow{i,m}_D N_j$. A *descendant* symbol of i is any child in the subsequent node, or a descendant of those children in following nodes, while the reverse holds for *ancestors*.

Lemma 5.2. *Let $N_0 \rightarrow_{PIM}^* N_k$ be a derivation of a plan p for a problem P under GTN_{IS} semantics, and let N_j be a node in that sequence with two mergeable tasks i_1 and i_2 . Then there is a progression $N_j' \rightarrow_{PIM}^* N_k$ which preserves the remain sequence of operator application after merging i_1 and i_2 .*

Proof. Assume WLOG that i_1 constrains some instance symbol i' , and i' is progressed before any other instance symbol constrained by i_1 or i_2 in the derivation $N_j \rightarrow_{PIM}^* N_k$, or that i_1 and i_2 constrain no tasks. Modify the derivation as follows: Let $N_j \xrightarrow{i_1,i_2}_M N_j'$. Drop any decomposition or goal release of descendant symbols of i_2 . For any operator application to a descendant of i_2 , replace with task insertion. \square

Construction 5.3. Let P be an HTN problem (by Construction 4.1 if necessary). Alford *et al.* [2015b] extends the work of Geier and Bercher [2011] to show that any solvable task-insertion problem can be solved with *acyclic progression*, which never decomposes a task’s ancestor of the same task name. We modify it for merging as follows: Where acyclic progression maintains a history of ancestral task names, instead associate each task with a counter, starting the counters in the initial node with $|C|$ (the number of non-primitive task names). Decompose only tasks with a positive counter, and associate a decremented counter with the resulting children. When merging two tasks, the new task receives the greater of the two counters. Finally, after every decomposition or action application, all mergeable task names are merged.

So GTN_{IS} planners can merge all mergeable tasks after every operation, leaving at most $|C|$ unconstrained tasks, which is incompatible with HTN_1 ’s hardness proof. This leaves us with a looser bound for GTN_{IS} planning:

Theorem 5.4. *Deciding whether a problem is solvable under GTN_{IS} semantics is PSPACE-hard and in NEXPTIME.*

Meanwhile, HGN_1 planning is trivially in PSPACE: with insertion, one only needs to guess a totally-ordered sequencing of the initial subgoals, and solve it as a series of sequential propositional planning problems [Bylander, 1994]:

Theorem 5.5. *Deciding whether an HGN problem is solvable under GTN_1 semantics is PSPACE-complete.*

6 Conclusion and Future Work

A number of hierarchical planning formalisms modify the standard HTN semantics in different ways; HGN planning uses goals in lieu of tasks, while ANML uses both tasks and goals as well as task insertion and sharing. Despite increased interest in using these planners in practice, there is little insight on

how these modifications change the theoretical properties of HTN planning, both in terms of expressivity or computational complexity. Our key contributions against this are:

- We formalized GTN planning, a hybrid formalism that supports both task and goal decomposition. We also formalized task insertion and task-sharing semantics under this formalism, capturing features of HGNS and ANML.
- We provided plan-preserving translations from GTN problems with any combination of task insertion and sharing semantics to standard HTN semantics, thus showing that they are no more expressive than HTN planning, which in general is semi-decidable.
- We showed that HGN planning is also semi-decidable. In fact, we showed that HGN, HTN, and HTN_S planning are all equivalent complexity-wise.
- We provided plan-preserving translations from HGN problems to HTN problems with task sharing semantics, thus showing that HGN is no more expressive than HTN_S .
- Finally, we provided new upper bounds for subsets of GTN planning, showing that HGN_1 is in PSPACE, and that GTN_{IS} and GTN_1 planning are in NEXPTIME.

While we show that HGNS and GTNS (with and without task sharing and insertion) can be compiled to HTN planning, we do not claim that this is a superior method of planning. Goals, sharing, and insertion all provide explicit semantics that are obscured by the compilation process. This reduces both the ability to analyze the domain for correctness and the applicability of some heuristic search techniques [Shivashankar *et al.*, 2016].

Future Work. There are several avenues to extend this work, some of which are:

- We showed only that GTN_{IS} belong in NEXPTIME. We conjecture GTN_{IS} planning may be PSPACE-complete.
- For HGN planning, we derived a semi-decidability result for partially ordered problems, which complements a known EXPTIME-completeness result [Shivashankar *et al.*, 2012]. A more nuanced classification of HGN planning (similar to the classification of HTN planning [Alford *et al.*, 2012]) would also extend to GTN planning.
- We provided plan preserving translations only in one direction, e.g. $HGN \rightarrow HTN_S$, $GTN_S \rightarrow GTN$, and $GTN \rightarrow HTN$. We suspect some of the inverse plan-preserving translations are possible and others are not. Proving the non-existence of any of these translations would provide a firm separation in expressivity [Höller *et al.*, 2016].
- Given the partially-ordered nature of GTN planning, it seems natural to extend it to planning with concurrent actions. Even PDDL 3 semantics [Gerevini and Long, 2005] for trajectory constraints assume linear planning, which does not appear to increase complexity; it is not clear if partial order planning plus trajectory constraints increases complexity.

Acknowledgment This work is sponsored in part by OSD ASD (R&E). Ron Alford performed part of this work as an ASEE postdoc at NRL; affiliation with MITRE is provided for identification purposes only. The information in this paper does not necessarily reflect the position or policy of the sponsors nor MITRE, and no official endorsement should be inferred.

References

- [Alford *et al.*, 2012] Ron Alford, Vikas Shivashankar, Ugur Kuter, and Dana S. Nau. HTN problem spaces: Structure, algorithms, termination. In *Proc. of the 5th Annual Symposium on Combinatorial Search (SoCS)*, pages 2–9. AAAI Press, 2012.
- [Alford *et al.*, 2015a] Ron Alford, Pascal Bercher, and David W. Aha. Tight bounds for HTN planning. In *Proc. of the 25th Int. Conf. on Automated Planning and Scheduling (ICAPS)*, pages 7–15. AAAI Press, 2015.
- [Alford *et al.*, 2015b] Ron Alford, Pascal Bercher, and David W. Aha. Tight bounds for HTN planning with task insertion. In *Proc. of the 25th Int. Joint Conf. on Artificial Intelligence (IJCAI)*, pages 1502–1508. AAAI Press, 2015.
- [Ayan *et al.*, 2007] N Fazil Ayan, Ugur Kuter, Fusun Yaman, and Robert P Goldman. HOTRiDE: Hierarchical ordered task replanning in dynamic environments. In *Proc. of the ICAPS-07 Workshop on Planning and Plan Execution for Real-World Systems – Principles and Practices for Planning in Execution*, 2007.
- [Bonasso *et al.*, 2009] Pete Bonasso, Mark Boddy, and Dave Kortenkamp. Enhancing NASA’s procedure representation language to support planning operations. In *Proc. of Int. Workshop on Planning and Scheduling for Space*, 2009.
- [Bylander, 1994] Tom Bylander. The computational complexity of propositional STRIPS planning. *Artificial Intelligence*, 94(1-2):165–204, 1994.
- [Dvorak *et al.*, 2014] Filip Dvorak, Arthur Bit-Monnot, Flix Ingrand, and Malik Ghallab. A flexible ANML actor and planner in robotics. In *Planning and Robotics (PlanRob) Workshop (ICAPS), Portsmouth, United States*, 2014.
- [Erol *et al.*, 1994] Kutluhan Erol, James A. Hendler, and Dana S. Nau. UMCP: A sound and complete procedure for hierarchical task-network planning. In *Proc. of the 2nd Int. Conf. on Artificial Intelligence Planning Systems (AIPS)*, pages 249–254. AAAI Press, 1994.
- [Erol *et al.*, 1996] Kutluhan Erol, James A. Hendler, and Dana S. Nau. Complexity results for HTN planning. *Annals of Mathematics and Artificial Intelligence*, 18(1):69–93, 1996.
- [Geier and Bercher, 2011] Thomas Geier and Pascal Bercher. On the decidability of HTN planning with task insertion. In *Proc. of the 22nd Int. Joint Conf. on Artificial Intelligence (IJCAI)*, pages 1955–1961. AAAI Press, 2011.
- [Gerevini and Long, 2005] Alfonso Gerevini and Derek Long. Plan constraints and preferences in PDDL3. Technical Report RT-2005-08-47, Dipartimento di Elettronica per l’Automazione, Università di Brescia, 2005.
- [Ghallab *et al.*, 2014] Malik Ghallab, Dana Nau, and Paolo Traverso. The actor’s view of automated planning and acting: a position paper. *Artificial Intelligence*, 208:1–17, 2014.
- [Ghallab *et al.*, in press] Malik Ghallab, Dana Nau, and Paolo Traverso. *Automated Planning and Acting*. Cambridge University Press, in press. Preprint available at: <http://projects.laas.fr/planning/>.
- [Höller *et al.*, 2016] Daniel Höller, Gregor Behnke, Pascal Bercher, and Susanne Biundo. Assessing the expressivity of planning formalisms through the comparison to formal languages. In *Proc. of the 26th Int. Conf. on Automated Planning and Scheduling (ICAPS)*. AAAI Press, 2016.
- [Nau *et al.*, 2003] Dana S. Nau, Tsz-Chiu Au, Okhtay Ilghami, Ugur Kuter, J William Murdock, Dan Wu, and Fusun Yaman. SHOP2: An HTN planning system. *Journal of Artificial Intelligence Research*, 20:379–404, 2003.
- [Nau *et al.*, 2005] Dana S. Nau, Tsz-Chiu Au, Okhtay Ilghami, Ugur Kuter, Dan Wu, Fusun Yaman, Héctor Muñoz-Avila, and J. William Murdock. Applications of SHOP and SHOP2. *Intelligent Systems, IEEE*, 20:34–41, March - April 2005.
- [Roberts *et al.*, 2016] Mark Roberts, Ron Alford, Vikas Shivashankar, Michael Leece, Shubham Gupta, and David W. Aha. Goal reasoning, planning, and acting with actorsim, the actor simulator. In *ICAPS Workshop on Planning and Robotics (PlanRob)*, 2016.
- [Shivashankar *et al.*, 2012] Vikas Shivashankar, Ugur Kuter, Dana Nau, and Ron Alford. A hierarchical goal-based formalism and algorithm for single-agent planning. In *Proc. of the 11th Int. Conf. on Autonomous Agents and Multi-agent Systems (AAMAS)*, volume 2, pages 981–988. Int. Foundation for AAMAS, June 2012.
- [Shivashankar *et al.*, 2013] Vikas Shivashankar, Ron Alford, Ugur Kuter, and Dana Nau. The GoDeL planning system: a more perfect union of domain-independent and hierarchical planning. In *Proc. of the 23rd Int. Joint Conf. on Artificial Intelligence (IJCAI)*, pages 2380–2386. AAAI Press, 2013.
- [Shivashankar *et al.*, 2016] Vikas Shivashankar, Ron Alford, Mark Roberts, and David W. Aha. Cost-optimal algorithms for hierarchical goal network planning: A preliminary report. In *ICAPS Workshop on Heuristics and Search for Domain-Independent Planning (HSDIP)*, 2016.
- [Smith and Cushing, 2008] D. E. Smith and W. Cushing. The ANML language. In *Proc. Int. Symposium on AI, Robotics and Automation in Space (iSAIRAS)*, Los Angeles, CA, 2008.
- [Smith *et al.*, 2008] David E Smith, Jeremy Frank, and William Cushing. The ANML language. In *Proc. of the Workshop on Knowledge Engineering for Planning and Scheduling (KEPS)*, 2008.